FILE 'HOME' ENTERED AT 10:16:56 ON 20 NOV 2006

=> file reg

COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 0.21 0.21

FILE 'REGISTRY' ENTERED AT 10:17:01 ON 20 NOV 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 19 NOV 2006 HIGHEST RN 913611-00-4 DICTIONARY FILE UPDATES: 19 NOV 2006 HIGHEST RN 913611-00-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

```
=> E "REBOXETINE"/CN 25
E1
                   REBOUL COCKTAIL/CN
             1
E2
             1
                   REBOUND/CN
E3
             1 --> REBOXETINE/CN
E4
             1
                   REBOXETINE FUMARATE/CN
E5
             1
                   REBOXETINE HYDROBROMIDE/CN
E6
             1
                   REBOXETINE MESYLATE/CN
E7
             1
                   REBOXITINE/CN
E8
             1
                   REBRAMIN/CN
E9
             1
                   REBRIDEN/CN
E10
             1
                   REBUILDA/CN
E11
             1
                   REBULAC/CN
E12
             1
                   REBULITE/CN
E13
             1
                   REBULITE (SB5AS8TL5S22)/CN
E14
             1
                   REBUS 1106/CN
E15
             1
                   REBUS BLACK 2101/CN
                   REBUS BLACK 2106/CN
E16
             1
E17
             1
                   REBUS BLACK 2125/CN
E18
             1
                   REBUS CARBON BLACK 1106/CN
E19
             1
                   REBUS GREEN 1750/CN
E20
             1
                   REBUS HIGH STRENGTH BLACK 2125/CN
E21
             1
                   REBUSO/CN
E22
             1
                   REC/CN
E23
             1
                   REC (HUMAN CLONE MGC:21181 IMAGE:4398300)/CN
E24
                   REC (HUMAN CLONE MGC:33737 IMAGE:5299722)/CN
E25
                   REC (RECEIVER) DOMAIN SIGNAL TRANSDUCTION PROTEIN (PEDIOCOCCUS
PENTOSACEUS STRAIN ATCC 25745)/CN
```

^{=&}gt; S E3

L1 1 REBOXETINE/CN

^{=&}gt; DIS L1 1 IDE

```
L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
```

RN 71620-89-8 REGISTRY

ED Entered STN: 16 Nov 1984

CN Morpholine, 2-[(R)-(2-ethoxyphenoxy)phenylmethyl]-, (2R)-rel- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN Reboxetine

CN Reboxitine

FS STEREOSEARCH

DR 98769-81-4, 98769-83-6, 71621-36-8

MF C19 H23 N O3

CI COM

LC STN Files: ADISINSIGHT, ADISNEWS, ANABSTR, BEILSTEIN*, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSCHEM, DDFU, DRUGU, EMBASE, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK*, PATDPASPC, PHAR, PROMT, PROUSDDR, PS, RTECS*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL

(*File contains numerically searchable property data)
Other Sources: WHO

Relative stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

370 REFERENCES IN FILE CA (1907 TO DATE)
9 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
375 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
L2
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
RN
     79617-96-2 REGISTRY
ED
     Entered STN: 16 Nov 1984
     1-Naphthalenamine, 4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-,
CN
     (1S,4S) - (9CI)
                    (CA INDEX NAME)
OTHER CA INDEX NAMES:
     1-Naphthalenamine, 4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-,
     (1S-cis) -
OTHER NAMES:
     (+)-Sertraline
     (1S, 4S) -4-(3, 4-Dichlorophenyl) -1, 2, 3, 4-tetrahydro-N-methyl-1-
     naphthalenamine
CN
     (1S, 4S) -4-(3, 4-Dichlorophenyl) -1, 2, 3, 4-tetrahydro-N-methyl-1-
     naphthaleneamine
CN
     CP 51974
     Sertraline
CN
     STEREOSEARCH
FS
MF
     C17 H17 Cl2 N
CI
     COM
LC
     STN Files:
                  ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS,
       BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMINFORMRX, CIN,
       CSCHEM, DDFU, DRUGU, EMBASE, HSDB*, IMSDRUGNEWS, IMSPATENTS,
       IMSRESEARCH, IPA, MEDLINE, MRCK*, PATDPASPC, PHAR, PROMT, PROUSDDR, PS,
       RTECS*, SCISEARCH, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL
         (*File contains numerically searchable property data)
     Other Sources:
                      WHO
```

Absolute stereochemistry. Rotation (+).

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1517 REFERENCES IN FILE CA (1907 TO DATE)
20 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
1527 REFERENCES IN FILE CAPLUS (1907 TO DATE)

THE ESTIMATED COST FOR THIS REQUEST IS 1.90 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:Y

```
ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
L1
RN
     71620-89-8 REGISTRY
ED
     Entered STN: 16 Nov 1984
ÇN
     Morpholine, 2-[(R)-(2-ethoxyphenoxy)phenylmethyl]-, (2R)-rel- (9CI) (CA
OTHER NAMES:
     Reboxetine
CN
CN
     Reboxitine
FS
     STEREOSEARCH
     98769-81-4, 98769-83-6, 71621-36-8
DR
MF
     C19 H23 N O3
CI
     COM
LC
     STN Files:
                  ADISINSIGHT, ADISNEWS, ANABSTR, BEILSTEIN*, BIOSIS,
       BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSCHEM, DDFU,
       DRUGU, EMBASE, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE,
       MRCK*, PATDPASPC, PHAR, PROMT, PROUSDDR, PS, RTECS*, SYNTHLINE,
       TOXCENTER, USAN, USPAT2, USPATFULL
```

(*File contains numerically searchable property data)

Relative stereochemistry..

Other Sources:

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

WHO

370 REFERENCES IN FILE CA (1907 TO DATE)
9 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
375 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
=> E "REBOXETINE"/CN 25
E1
             1
                   REBOUL COCKTAIL/CN
E2
             1
                   REBOUND/CN
E3
             1 --> REBOXETINE/CN
E4
             1
                   REBOXETINE FUMARATE/CN
E5
             1
                   REBOXETINE HYDROBROMIDE/CN
E6
             1
                   REBOXETINE MESYLATE/CN
E7
             1
                   REBOXITINE/CN
E8
             1
                   REBRAMIN/CN
E9
             1
                   REBRIDEN/CN
E10
             1
                   REBUILDA/CN
E11
             1
                   REBULAC/CN
E12
             1
                   REBULITE/CN
E13
             1
                   REBULITE (SB5AS8TL5S22)/CN
E14
             1
                   REBUS 1106/CN
E15
             1
                   REBUS BLACK 2101/CN
E16
             1
                   REBUS BLACK 2106/CN
E17
             1
                   REBUS BLACK 2125/CN
E18
             1
                   REBUS CARBON BLACK 1106/CN
E19
             1
                   REBUS GREEN 1750/CN
E20
             1
                   REBUS HIGH STRENGTH BLACK 2125/CN
E21
             1
                   REBUSO/CN
```

```
E22
                   REC/CN
                   REC (HUMAN CLONE MGC:21181 IMAGE:4398300)/CN
E23
E24
                   REC (HUMAN CLONE MGC:33737 IMAGE:5299722)/CN
                   REC (RECEIVER) DOMAIN SIGNAL TRANSDUCTION PROTEIN (PEDIOCOCCUS
E25
PENTOSACEUS STRAIN ATCC 25745)/CN
=> E "SERTRALINE"/CN 25
E1
                   SERTOLIN (RAT SERTOLI CELL)/CN
E2
                   SERTOLIN (RATTUS NORVEGICUS SERTOLI CELL)/CN
E3
             1 --> SERTRALINE/CN
E4
                   SERTRALINE CARBAMOYL-O-GLUCURONIDE/CN
             1
                   SERTRALINE HYDROCHLORIDE/CN
E5
             1
E6
                   SERTRALINE HYDROCHLORIDE ETHANOLATE/CN
             1
E7
                   SERTRALINE HYDROCHLORIDE METHANOLATE/CN
             1
E8
             1
                   SERTRALINE HYDROCHLORIDE MONOHYDRATE/CN
E9
             1
                   SERTRALINE MANDELATE/CN
                   SERTRALINE TETRALONE/CN
E10
             1
E11
             1
                   SERTRALONE/CN
E12
             1
                   SERTUERNER/CN
E13
             1
                   SERTULARAMIDE/CN
E14
             1
                   SERTUM/CN
E15
             1
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 01 GENE SERU-DAB SUBUNIT B
FRAGMENT)/CN
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 03 GENE SERU-DAB SUBUNIT B
E16
FRAGMENT)/CN
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 04 GENE SERU-DAB SUBUNIT B
E17
FRAGMENT) / CN
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 05 GENE SERU-DAB SUBUNIT B
E18
FRAGMENT) / CN
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 06 GENE SERU-DAB SUBUNIT B
E19
FRAGMENT) / CN
E20
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 07 GENE SERU-DAB SUBUNIT B
FRAGMENT)/CN
                   SERU-D ANTIGEN (FLAG ROCKFISH CLONE 09 GENE SERU-DAB SUBUNIT B
E21
FRAGMENT)/CN
                   SERU-D ANTIGEN (SEBASTES RUBRIVINCTUS CLONE 01 GENE SERU-DAB
E22
SUBUNIT B FRAGMENT)/CN
                   SERU-D ANTIGEN (SEBASTES RUBRIVINCTUS CLONE 03 GENE SERU-DAB
SUBUNIT B FRAGMENT)/CN
E24
                   SERU-D ANTIGEN (SEBASTES RUBRIVINCTUS CLONE 04 GENE SERU-DAB
SUBUNIT B FRAGMENT)/CN
E25
                   SERU-D ANTIGEN (SEBASTES RUBRIVINCTUS CLONE 05 GENE SERU-DAB
SUBUNIT B FRAGMENT)/CN
=> S E3
L2
             1 SERTRALINE/CN
=> DIS L2 1 IDE
THE ESTIMATED COST FOR THIS REQUEST IS 1.90 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y) /N:Y
     ANSWER 1 OF 1 REGISTRY COPYRIGHT 2006 ACS on STN
L2
     79617-96-2 REGISTRY
RN
ED
     Entered STN: 16 Nov 1984
CN
     1-Naphthalenamine, 4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-,
     (1S,4S)- (9CI)
                    (CA INDEX NAME)
OTHER CA INDEX NAMES:
     1-Naphthalenamine, 4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-,
     (1S-cis) -
OTHER NAMES:
CN
     (+)-Sertraline
CN
     (1S,4S)-4-(3,4-Dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-
     naphthalenamine
CN
     (1S,4S)-4-(3,4-Dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-
```

naphthaleneamine

CN CP 51974

CN Sertraline

FS STEREOSEARCH

MF C17 H17 Cl2 N

CI CON

LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMINFORMRX, CIN, CSCHEM, DDFU, DRUGU, EMBASE, HSDB*, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK*, PATDPASPC, PHAR, PROMT, PROUSDDR, PS, RTECS*, SCISEARCH, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL (*File contains numerically searchable property data)

Other Sources: WHO

Absolute stereochemistry. Rotation (+).

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1517 REFERENCES IN FILE CA (1907 TO DATE)
20 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
1527 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 14.64 14.85

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 10:18:47 ON 20 NOV 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Nov 2006 VOL 145 ISS 22 FILE LAST UPDATED: 19 Nov 2006 (20061119/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 71620-89-8

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L4 375 L3

=> s 79617-96-2 REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

L6 1527 L5

=> 14(s)16

L4(S)L6 IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>).

=> s 14(s)16

L7 0 L4(S)L6

=> s 14(p)16

L8 0 L4(P)L6

=> s 14 and 16

L9 82 L4 AND L6

=> s 14(n)16

L10 0 L4(A)L6

=> d 19 ti au so py abs 1-10

- L9 ANSWER 1 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Method and medicinal composition for curing neurasthenia and somatoform disorder
- IN Liu, Ping; Yu, Duo; Long, Haizhen; Li, Jintong; Li, Hua; Wang, Yu; Dai, Chengxiang; Chen, Guangliang; Xing, Houxun; Xu, Xiping
- SO Faming Zhuanli Shenqing Gongkai Shuomingshu, 21pp. CODEN: CNXXEV
- PY 2006

- The medicinal composition for curing neurasthenia and somatoform disorder comprises medicinal dosage selective norepinephrine reuptake inhibitor or its medicinal salts and medicinal dosage selectivity 5-hydroxytryptamine or its medicinal acceptable salt composition. The norepinephrine reuptake inhibitor comprises Tomoxetine, reboxetine, bupropion, imipramine, desipramine, amitriptyline, nortriptyline, maprotiline and protriptyline, and reboxetine methane sulfonate. The 5-hydroxytryptamine comprises fluoxetine, Sertraline, citalopram, paroxetine, fluvoxamine, Sertraline hydrochloride, citalopram hydrobromide. The medicinal composition is prepared into oral preparation, i.v. injection or suppository. The somatoform disorder comprises Somatization disorder, hypochondria, somatoform autonomic dysfunction, Persistent Somatoform Pain Disorder.
- L9 ANSWER 2 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Preparation of amino acid derivatives with high therapeutic index
- IN Chandran, V. Ravi
- SO U.S. Pat. Appl. Publ., 139pp. CODEN: USXXCO
- PY 2006 2005
- The invention is directed to novel therapeutic compds. comprised of an amino acid bonded to a medicament or drug having a hydroxy, amino, carboxy or acylating function. These high-therapeutic index derivs. have the same utility as the drug from which they are made and they have enhanced pharmacol. and pharmaceutical properties. The examples describe the synthesis and activities of amino acid derivs. of propofol, ibuprofen, ketoprofen, ketorolac, aspirin, acetaminophen, cyclosporin A, valproic acid, clopidogrel, damazol, benzapril, enalapril, and fenofibric acid. Thus, (±)-ibuprofen esters of L-serine, L-threonine, and L-hydroxyproline were prepared and examined for analgesic, gastric mucosal irritation, toxicity, and pharmacokinetic properties.
- L9 ANSWER 3 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Quantitative determination of forty-eight antidepressants and antipsychotics in human serum by HPLC tandem mass spectrometry: A multi-level, single-sample approach
- AU Kirchherr, H.; Kuehn-Velten, W. N.
- Journal of Chromatography, B: Analytical Technologies in the Biomedical and Life Sciences (2006), 843(1), 100-113
 CODEN: JCBAAI; ISSN: 1570-0232
- PY 2006
- AB This method describes the simultaneous determination of amisulpride, amitriptyline, aripiprazole, benperidol, chlorpromazine, chlorprothixene, citalopram, clomipramine, clozapine, desipramine, doxepin, fluoxetine, flupentixol, fluphenazine, fluvoxamine, haloperidol, hydroxyrisperidone, imipramine, levomepromazine, maprotiline, mianserine, mirtazapine, moclobemide, norclomipramine, nordoxepin, norfluoxetine, nortriptyline, O-desmethylvenlafaxine, olanzapine, opipramol, paroxetine, perazine, perphenazine, pimozide, pipamperone, quetiapine, reboxetine, risperidone, sertraline, sulpiride, thioridazine, trazodone, trimipramine, venlafaxine, viloxazine, ziprasidone, zotepine and zuclopenthixol with a single sample/triple injection approach. Drugs were assigned to subgroups covering low, medium and high concns. (overall range of therapeutic levels to be considered: 0.5-2000 ng/mL) by further dilution of the supernatant obtained after the first protein precipitation Chromatog. separation was necessary for

isobaric mass fragments and performed on a monolithic C18 column (50 mm + 4.6 mm) with methanol gradient and 5 mM acetate buffer at pH 3.9. The injection interval was 8 min. A set of three internal stds. was used for quantification of drugs with widely varying hydrophobicity. After electrospray ionization pos. ion fragments were detected in the multiple reaction monitoring mode with an API 4000 tandem mass spectrometer. Regression parameters of calibration curves and limits of quantification showed good covering of therapeutic and subtherapeutic ranges with an average

correlation coefficient of 0.9988. Imprecision and inaccuracy measures were prepared for intra- and inter-assay comparisons at three concentration ranges

in

all subgroups. Average coeffs. of variation were 6.1% for intra-assay and 7.4% for inter-assay comparisons, while average deviations from spiked concns. were 4.8% for intra-assay and 4.2% for inter-assay comparisons, resp. Recovery rates, measured as the percent recoveries of spiked serum samples against standard solns. without serum matrix, varied between 92 and 111%, with an average of 101%. As the only exception, the olanzapine response was much higher (185%) in serum matrix than in matrix-free controls.

- L9 ANSWER 4 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- ΤI Pharmaceutical compositions for the treatment and/or prevention of depression
- IN Pyke, Robert; Ceci, Angelo
- PCT Int. Appl., 30pp. so
- CODEN: PIXXD2
- PΥ 2006

2006

- AB The invention relates to new pharmaceutical compns. for the treatment and/or prevention of depression and methods for the preparation thereof. preferred embodiment, the instant invention is directed to pharmaceutical combinations comprising flibanserin as one active ingredient in combination with at least one addnl. active ingredient for the treatment and/or prevention of depression and methods for the preparation thereof.
- ANSWER 5 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN L9
- Preparation of spiro[cyclohexane-1,4'-quinazoline] derivatives for use as \mathtt{TI} PDE7 inhibitors for the treatment of neuropathic pain
- ΙN Cox, Peter; Kinloch, Ross Anderson; Maw, Graham Nigel
- so PCT Int. Appl., 108pp.
 - CODEN: PIXXD2
- PΥ 2006 2006

GI

- AB Compds. I-III [Ring B = (un)substituted six-membered aryl or heteroaryl ring; Ring A = (un)substituted spirocycle or spiroheterocycle; X = O or NH, NNH2, etc.; Y = O, S, NH, etc.; Z = CHNO2, O, S, etc.; Z1 = H, Me, NH2, etc.] are disclosed as phosphodiesterase 7 (PDE7) inhibitors for use in the manufacture of a medicament for the treatment of neuropathic pain and to a method of treating neuropathic pain using an inhibitor of PDE7. Methods for preparing title compds. are given. Thus, e.g., IV was prepared by substitution of trans-3-[(benzyloxy)methyl]cyclobutyl p-toluenesulfonate (preparation given) with 8'-chloro-5'-hydroxy-1'H-spiro[cyclohexane-1,4'-quinazolin]-2'(3'H)-one followed by deprotection and oxidation In PDE7A inhibition assays, IV demonstrated a Ki value of 1.9 (nM).
- L9 ANSWER 6 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Method and device for ophthalmic administration of active pharmaceutical ingredients
- IN Gross, Yossi; Herzog, Rafi; Koevary, Steven B.
- SO PCT Int. Appl., 127pp, CODEN: PIXXD2
- PY 2006
- AB Disclosed is the use of a mist of a pharmaceutical composition for ophthalmic delivery of a protein or peptide active pharmaceutical ingredient, a related method of treatment and a device useful in implementing the use and method. Disclosed is also the use of a mist for ophthalmic delivery of a pharmaceutical composition including a highly irritating penetration enhancer and a carrier, a related method of treatment and a device useful in implementing the use and method. Disclosed is also a device for ophthalmic administration configured to direct a mist of a pharmaceutical composition to the eye only when the eye is open. Disclosed is also a self-sterilizing device for ophthalmic administration. Disclosed is also a device and a method for increasing the bioavailability of an ophthalmically administered drug in a pharmaceutical composition
- L9 ANSWER 7 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Methods and compositions using cyclooxygenase 2 (COX-2) inhibitors for the treatment of psychiatric disorders, and combination therapies
- IN Muller, Norbert
- SO U.S. Pat. Appl. Publ., 34 pp., Cont.-in-part of U.S. Ser. No. 157,969. CODEN: USXXCO
- PY 2006 2003 2006 2006
- AB A method for the prevention, treatment, or inhibition of a psychiatric disorder, in particular schizophrenia, is described which comprises administering a COX-2 inhibitor or prodrug thereof to a subject.

 Moreover, a method for the prevention, treatment, or inhibition of a psychiatric disorder, in particular schizophrenia or depressive disorders, is disclosed comprising administering to a subject a COX-2 inhibitor or prodrug thereof in combination with a neuroleptic drug or an antidepressant. Compns. and kits that are suitable for the practice of the method are also described.
- L9 ANSWER 8 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Pharmaceutical compositions comprising an agent with serotonin receptor modulating activity for sleep disorders
- IN Rariy, Roman V.; Heffernan, Michael
- SO PCT Int. Appl., 57 pp. CODEN: PIXXD2
- PY 2006
- AB Pharmaceutical compns. are provided for the pharmacol. treatment of breathing disorders and, more specifically, to compns. containing agents having serotonin receptor modulating activity for the alleviation of sleep apnea (central and obstructive) and other sleep-related breathing

disorders wherein the active ingredients are released such as to extend effective blood plasma concns. across the period of sleep. For example, ondansetron immediate release tablets were prepared containing ondansetron HCl dihydrate 9.98 mg, lactose 29.14 mg, Prosolv 50 29.14 mg, Ac-Di-Sol 3.75 mg, SDS 1.5 mg, Aerosil 0.75 mg, and Mg stearate 0.75 mg. Ondansetron immediate release tablets were then coated with Eudragit L100/S100 blend to obtain delayed release tablets.

- L9 ANSWER 9 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Serotonin transporter polymorphisms and side effects in antidepressant therapy a pilot study
- AU Popp, Johannes; Leucht, Stefan; Heres, Stephan; Steimer, Werner
- SO Pharmacogenomics (2006), 7(2), 159-166 CODEN: PARMFL; ISSN: 1462-2416
- PY 2006
- Objectives: To assess the influence of the serotonin transporter variable AΒ number of tandem repeat (HTT-VNTR) polymorphism and the serotonin transporter-gene-linked polymorphic region (HTTLPR) polymorphism on development of side effects under antidepressant therapy. Methods: A total of 109 depressive in-patients treated with various antidepressants according to local clin. practice were included in the investigation. Four weeks after admission to hospital, side effects were assessed by using a modified version of the dosage record and treatment emergent symptoms scale (DOTES). Differences in side effects between the genotype groups of both polymorphisms were analyzed using the Fisher's exact test. Results: A total of 65 patients received mirtazapine (25 of them in combination with other antidepressants), and 44 patients were predominantly treated with antidepressants acting via HTT, such as selective serotonin re-uptake inhibitors (SSRIs) and tricyclic antidepressants (TCAs). When patients were treated with HTT-blocking antidepressants, a significantly higher occurrence of side effects in patients with the HTTVNTR 2.10/2.10 genotype (52.6%) than in patients with the 2.10/2.12 (12.5%) and 2.12/2.12 (0%) genotypes (p = 0.004) was found. With regard to the HTTLPR polymorphism, patients predominantly on HTT-blocking antidepressants with the s/s genotype suffered more frequently from side effects (50.0%) than heterozygotes (40.0%) and homozygotes for the I-allele (0%) (p = 0.002). In contrast, no association of the HTTVNTR polymorphism was found in patients treated with mirtazapine. The risk groups defined by a combined genotype from both polymorphisms demonstrated a major effect on the incidence of adverse drug events in patients treated with predominantly HTT-blocking antidepressants (p = 0.00018; low risk: 0%, 0/13, medium risk: 13.3%, 2/15, high risk: 62.5%, Conclusion: These results support the hypothesis that both polymorphisms influence tolerability to drugs primarily acting via HTT inhibition, such as SSRIs, TCAs and venlafaxine. Tolerability to mirtazapine was not influenced, probably owing to a different mode of action. As there are limitations due to the heterogeneity of treatment and concomitant therapy, further studies are required to confirm the obtained results.
- L9 ANSWER 10 OF 82 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Methods for regulating neurotransmitter systems by inducing counteradaptations
- IN Michalow, Alexander
- SO PCT Int. Appl., 97 pp. CODEN: PIXXD2
- PY 2006 2006
- AB The present invention relates to methods for regulating neurotransmitter systems by inducing a counteradaptation response. According to one embodiment of the invention, a method for regulating a neurotransmitter includes the step of repeatedly administering a ligand for a receptor in the neurotransmitter system, with a ratio of administration half-life to

period between administrations of no greater than 1/2. The methods of the present invention may be used to address a whole host of undesirable mental and neurol. conditions.

- <

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---------------------------------------------------------------|---------------------------------------------|---------------------|---------|------------------|
| L1 | 682 | norepinephrine adj reuptake adj inhibitor | US-PGPUB; USPAT; EPO; JPO; DERWENT | ADJ | ON | 2006/11/20 11:11 |
| L2 | 2835 | selective adj serotonin adj reuptake adj inhibitor or SSRI | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/11/20 11:12 |
| L3 | 269 | I1 with I2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | WITH | ON | 2006/11/20 11:12 |
| L4 | 0 | l1 with I2 @py<="2003" | US-PGPUB; USPAT; EPO; JPO; DERWENT | WITH | ON . | 2006/11/20 11:12 |
| L5 | 0 | I1 same I2 @py<="2003" | US-PGPUB; USPAT; EPO; JPO; DERWENT | WITH | ON | 2006/11/20 11:13 |
| L6 | 313 | l1 same l2 | US-PGPUB; USPAT; EPO; JPO; DERWENT | WITH . | ON | 2006/11/20 11:13 |
| S1 | 736 | nicotine near withdraw\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | NEAR | ON | 2006/11/20 11:10 |
| S2 | 514 | reboxetine | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2006/11/17 16:07 |
| S3 | 3343 | sertraline | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2006/11/17 16:07 |
| S4 | 10 | S1 and S2 and S3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2006/11/17 16:10 |
| S5 | 200 | S2 same S3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | SAME | ON | 2006/11/20 09:58 |

EAST Search History

| S6 | 514 | reboxetine | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2006/11/20 09:58 |
|----|------|------------|---------------------------------------------|------|----|------------------|
| S7 | 3346 | sertraline | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2006/11/20 09:58 |
| S8 | 151 | S6 with S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT | WITH | ON | 2006/11/20 10:03 |
| S9 | 28 | S6 with S7 | USPAT; EPO; JPO; DERWENT | WITH | ON | 2006/11/20 10:03 |